




LIMEX
CROATIA
WHEELBARROWS
MIXERS

Katalog proizvoda

Product catalog




Vukovarska 77a / 31540 Donji Miholjac
T: +385 /0/ 31 49 68 70 / F: +385 /0/ 31 49 68 71

www.altrad-limex.com



Altrad Grupa
Altrad Group



Kontinentalna Europa
Continental Europe

€1.302 m

10 795 zaposlenih / employees

Ujedinjeno Kraljevstvo
United Kingdom

€923 m

8 609 zaposlenih / employees

Pacifik
Pacific

€656 m

1 592 zaposlenih / employees

Bliski istok i kaspijsko područje
Middle East & Caspian

€308 m

14 520 zaposlenih / employees

Afrika
Africa

€135 m

2 168 zaposlenih / employees

Azia
Asia

€95 m

2 757 zaposlenih / employees



LIMEX
CROATIA
WHEELBARROWS
MIXERS



Uvod / Introduction

1999. godine Limex je izgradio tvornicu koja je ubrzo postala jedna od najvećih europskih proizvođača miješalica za beton i kolica te prepoznata po kvaliteti i konkurentnosti i izvan nacionalnih granica. Altrad Limex d.o.o., kao članica Altrad Grupe, smještena je na strateški idealnoj poziciji između istoka i zapada koja omogućuje brže isporuke te nižu cijenu transporta. Velikim obujmom proizvodnje smo u stanju osigurati nižu konačnu cijenu proizvoda, zadržavajući pritom visoku kvalitetu koju je prepoznalo europsko tržište još 90-ih godina prošlog stoljeća. Od 2009. godine Limex je u vlasništvu Francuske Altrad grupacije te se zahvaljujući novom vlasniku nastavljaju investicije, neprestano usavršavanje postojećih i proizvodnja novih proizvoda. Kontinuirani rast svih segmenata poduzeća nam je omogućio prodaju u preko 30-tak država sa udjelom izvoza od preko 90%. U svom poslovanju najveću moguću pažnju pridajemo održivom razvoju, maksimalnoj brizi za svakog pojedinog djelatnika te zaštiti čovjekova okoliša. Naši djelatnici će rado odgovoriti na sve Vaše upite u najkraćem mogućem roku, a golemim i učinkovitim proizvodnim kapacitetima, najsuvremenijim tehnologijama, znanjem i iskustvom smo u mogućnosti udovoljiti i najzahtjevnijim potrebama kupaca.

In 1999, Limex built a factory that soon became one of Europe's largest concrete mixer manufacturers, recognized for quality and competitiveness beyond the national borders. Altrad Limex d.o.o., as a member of Altrad Group, is strategically ideally positioned between the East and West, allowing faster deliveries and lower transport costs. With a large volume of production, we are able to provide lower final product prices, while retaining the high quality recognized by the European market starting from 90s of the last century. Since 2009, Limex is owned by the French Altrad Group and thanks to the new owner continues with the investments, constant improvement of the existing and production of new products. Continuous growth of all segments of the company enabled us to sell in over 30 countries with export share of over 90%. In our business we give the greatest possible attention to sustainable development, maximum care for each employee and protection of the human environment. Our employees will be happy to answer all your inquiries in the shortest time possible, with huge and efficient production capacities, state of the art technologies, knowledge and experience we are able to meet even the most demanding customer needs.

Sadržaj / Content

Altrad Limex

Miješalice / Mixers	3
Kolica / Wheelbarrow	6
Transportna kolica / Transport Trolley	10

Altrad Poland

Miješalice / Mixers	12
---------------------	----

Altrad Saint-Denis

Miješalice / Mixers	13
---------------------	----

Altrad Atika

Ručni mješač / Handheld agitator	14
Zidna brusilica / Dry wall sander	15
Građevinska kružna pila / Construction circular saw	16
Nagibna kružna pila / Bench saw	18
Skupljač prašine / Dust collector	19
Stolna lisna pila / Scroll saw	19
Tračna pila / Band saw	19
Stolna blanjalica / Surface planing & thicknessing machine	20
Kutna pila / Crosscut and mitre saw	20
Pila za pločice / Radial tail cutters	21
Odvlaživač zraka / Dehumidifier	22
Grijač za terasu / Patio heater	23
Mjerač vlage / Moisture meter	23
Vrtna drobilica / Garden shredder	23
Škare za živicu / Hedge trimmer	25
Motorna pila / Chain saw	27
Pila za drva / Log saw	29
Cjepač drva / Log splitter	30
Orač / Tiller	33
Bušač za zemlju / Earth auger	33
Stroj za rahljenje trave / Scarifier - Lawn raker	33
Trimer / Trimmer	34
Puhalo za lišće / Vacuum blower	35
Čistači / Push sweeper	35

Altrad Belle

Vibro ploča / Plate compactor	36
Stupni nabijač / Rammer	38
Valjak / Hand roller	39
Ručni vibrator / Poker	39
Visoko frekventni pretvarač / High Frequency Converters	40
Vibro letva / Screeder	40
Alati / Accessories	41
Gladilice / Trowel	42
Stolna rezalica / Bench saw	43
Rezne ploče / Blades	43
Rezač blokova / Block Paving splitter	44
Hidraulični čekić / Hydraulic Breakers	45
Pribor za hidraulične čekiće / Breaker Steel	46
Agregat / Power Pack	47
Hidraulični rezač / Disc Cutter	47
Hidraulična vodena pumpa / Hydraulic Water Pump	47
BMD	48
BMD dodaci / BMD accessories	48
Agregat / Generators	49
Jedinica za testiranje / Test Unit	49

Altrad Plettac Assco

Fasadne i modularne skele / Facade and modular Scaffolding	50
--	----

STS

Aluminijske ljestve / Aluminum ladder	52
---------------------------------------	----


Dinamo HIT

Emajlirani program / Enameled program	56
---------------------------------------	----



Miješalica 125LS

Concrete Mixer 125LS




TEHNIČKI PODACI / TECHNICAL SPECIFICATION

Model	Snaga Power	Zupčanik Cogwheel	Masa Weight	Pakiranje Packing	Dimenzije sastavljene miješalice Assembled mixer dimensions	Kom / šleper Pcs / truck
125LS	700W	Lijeivano željezo Cast iron	45kg	6, 8 or 10 pcs / Pallet	800 x 1150 x 1300mm	168-310

Miješalica 125LP

Concrete Mixer 125LP




TEHNIČKI PODACI / TECHNICAL SPECIFICATION

Model	Snaga Power	Zupčanik Cogwheel	Masa Weight	Pakiranje Packing	Dimenzije sastavljene miješalice Assembled mixer dimensions	Kom / šleper Pcs / truck
125LP	700W	Poliamid / Polyamide	40kg	6, 8 or 10 pcs / Pallet	800 x 1150 x 1300mm	168-310

Miješalica 165LS

Concrete Mixer 165LS




TEHNIČKI PODACI / TECHNICAL SPECIFICATION

Model	Snaga Power	Zupčanik Cogwheel	Masa Weight	Pakiranje Packing	Dimenzije sastavljene miješalice Assembled mixer dimensions	Kom / šleper Pcs / truck
165LS	700W	Lijevano željezo Cast iron	53kg	6 pcs / Pallet	800 x 1200 x 1350mm	162-168

Miješalica 165LP

Concrete Mixer 165LP




TEHNIČKI PODACI / TECHNICAL SPECIFICATION

Model	Snaga Power	Zupčanik Cogwheel	Masa Weight	Pakiranje Packing	Dimenzije sastavljene miješalice Assembled mixer dimensions	Kom / šleper Pcs / truck
165LP	700W	Poliamid / Polyamide	46kg	6 pcs / Pallet	800 x 1200 x 1350mm	162-168



Miješalica 190LS/LSA

Concrete Mixer 190LS/LSA




TEHNIČKI PODACI / TECHNICAL SPECIFICATION

Model	Snaga Power	Zupčanik Cogwheel	Masa Weight	Pakiranje Packing	Dimenzije sastavljene miješalice Assembled mixer dimensions	Kom / šleper Pcs / truck
190LS	850W	Lijevano željezo Cast iron	54kg	6 pcs / Pallet	800 x 1200 x 1420mm	162-168
190LSA	1000W	Lijevano željezo Cast iron	55kg	6 pcs / Pallet	800 x 1200 x 1420mm	162-168

Miješalica 190LP/LPA

Concrete Mixer 190LP/LPA



TEHNIČKI PODACI / TECHNICAL SPECIFICATION

Model	Snaga Power	Zupčanik Cogwheel	Masa Weight	Pakiranje Packing	Dimenzije sastavljene miješalice Assembled mixer dimensions	Kom / šleper Pcs / truck
190LP	850W	Poliamid / Polyamide	47kg	6 pcs / Pallet	800 x 1200 x 1420mm	162-168
190LPA	1000W	Poliamid / Polyamide	48kg	6 pcs / Pallet	800 x 1200 x 1420mm	162-168



Vrtna jednodijelna kolica 80

One-piece agricultural wheelbarrow 80

TEHNIČKI PODACI / TECHNICAL SPECIFICATION

Model	Šifra Artikla Article code	Kom./paleta Pcs / pallet	Masa Weight	Dimenzije pakiranja Packaging dimension	Volumen Volume	Kom / šleper Pcs / truck	Okvir Frame	Kotač Wheel
Vrtna jednodijelna kolica 80 One-piece agricultural wheelbarrow 80	100301/100305	125	9,30kg	1200x1800x2600mm	80L	1625-1875	Ø 25	3.5x8/3.5x6, PP



Vrtna dvodijelna kolica 80

Two-piece agricultural wheelbarrow 80

TEHNIČKI PODACI / TECHNICAL SPECIFICATION

Model	Šifra Artikla Article code	Kom./paleta Pcs / pallet	Masa Weight	Dimenzije pakiranja Packaging dimension	Volumen Volume	Kom / šleper Pcs / truck	Okvir Frame	Kotač Wheel
Vrtna dvodijelna kolica 80 Two-piece agricultural wheelbarrow 80	100382/100384	75	8,70kg	1200x1250x2000mm	80L	1650-1950	Ø 25	3.5x8/3.5x6, PP



Vrtna kolica sa 2 kotača 80

Wheelbarrow with 2 wheels 80

TEHNIČKI PODACI / TECHNICAL SPECIFICATION

Model	Šifra Artikla Article code	Kom./paleta Pcs / pallet	Masa Weight	Dimenzije pakiranja Packaging dimension	Volumen Volume	Kom / šleper Pcs / truck	Okvir Frame	Kotač Wheel
Vrtna kolica s 2 kotača 80 Wheelbarrow with 2 wheels 80	100350	50	12,40kg	1200x1700x1800mm	80L	800-850	Ø 32	3.5x8, PP



Građevinska kolica Compact 75

Construction wheelbarrow Compact 75

TEHNIČKI PODACI / TECHNICAL SPECIFICATION

Model	Šifra Artikla Article code	Kom./paleta Pcs / pallet	Masa Weight	Dimenzije pakiranja Packaging dimension	Volumen Volume	Kom / šleper Pcs / truck	Okvir Frame	Kotač Wheel
Građevinska kolica Compact 75 Construction wheelbarrow Compact 75	100400	-	11,50kg	600x1400x690mm	75L	cca 300	Ø 32	3.5x8





Građevinska kolica standard 85

Construction wheelbarrow Standard 85

TEHNIČKI PODACI / TECHNICAL SPECIFICATION

Model	Šifra Artikla Article code	Kom./paleta Pcs / pallet	Masa Weight	Dimenzije pakiranja Packaging dimension	Volumen Volume	Kom / šleper Pcs / truck	Okvir Frame	Kotač Wheel
Građevinska kolica Standard 85 Construction wheelbarrow Standard 85	100000	60	11,70kg	1200x1500x2400mm	85L	960-1020	Ø 32	3,5x8



Građevinska kolica standard 100

Construction wheelbarrow Standard 100

TEHNIČKI PODACI / TECHNICAL SPECIFICATION

Model	Šifra Artikla Article code	Kom./paleta Pcs / pallet	Masa Weight	Dimenzije pakiranja Packaging dimension	Volumen Volume	Kom / šleper Pcs / truck	Okvir Frame	Kotač Wheel
Građevinska kolica Standard 100 Construction wheelbarrow Standard 100	100100	60	12,50kg	1200x1500x2400mm	100L	960-1020	Ø 32	3,5x8



Građevinska kolica - PP korito 100

Construction wheelbarrow - PP tray 100

TEHNIČKI PODACI / TECHNICAL SPECIFICATION

Model	Šifra Artikla Article code	Kom./paleta Pcs / pallet	Masa Weight	Dimenzije pakiranja Packaging dimension	Volumen Volume	Kom / šleper Pcs / truck	Okvir Frame	Kotač Wheel
Građevinska kolica Standard 100 Construction wheelbarrow Standard 100	100500	60	10,40kg	1200x1500x2400mm	100L	900-960	Ø 32	4,0x8, PP



Građevinska kolica - Profi 100

Construction wheelbarrow - Profi 100

TEHNIČKI PODACI / TECHNICAL SPECIFICATION

Model	Šifra Artikla Article code	Kom./paleta Pcs / pallet	Masa Weight	Dimenzije pakiranja Packaging dimension	Volumen Volume	Kom / šleper Pcs / truck	Okvir Frame	Kotač Wheel
Građevinska kolica - Profi 100 Construction wheelbarrow - Profi 100	100200	50	12,90kg	1200x1600x2000mm	100L	750-800	Ø 32	4,0x8





Građevinska kolica AL 85

Construction wheelbarrow AL 85

TEHNIČKI PODACI / TECHNICAL SPECIFICATION

Model	Pakiranje Packaging	Dimenzije pakiranja Packaging dimensions	Masa pakiranja Packaging weight	Komada na paleti QTY / pallet	Komada / šleper 13.6m QTY / truck 13.6m
Okvir GK 25 Hybrid zeleni+kotač 3.5x8 Frame GK 25 Hybrid green+wheel 3.5x8	Na paleti On pallets	1200x1600x2500mm	767kg	125	2000 kom./okvir+kotač 2000 pcs / frame+wheel
					1625 kom./okvir+kotač+korito 1625 pcs / frame+wheel+tray
Korito HOFMANINGER Tray HOFMANINGER	Na paleti On pallets	820x1250x1700mm	764kg	200	



Građevinska kolica AL 85 Zn

Construction wheelbarrow AL 85 Zn

TEHNIČKI PODACI / TECHNICAL SPECIFICATION

Model	Pakiranje Packaging	Dimenzije pakiranja Packaging dimensions	Masa pakiranja Packaging weight	Komada na paleti QTY / pallet	Komada / šleper 13.6m QTY / truck 13.6m
Okvir ARF 2770 R+L dvodijelna + kotač 3.5x8 Frame ARF 2770 R+L two-piece + wheel 3.5x8	Na paleti On pallets	1200x1300x1800mm	667kg	120	2400 kom./okvir+kotač 2400 pcs / frame+wheel
					1800 kom./okvir+kotač+korito 1800 pcs / frame+wheel+tray
Korito HOFMANINGER Tray HOFMANINGER	Na paleti On pallets	820x1250x1700mm	764kg	200	



Građevinska kolica ALP 100

Construction wheelbarrow ALP 100

TEHNIČKI PODACI / TECHNICAL SPECIFICATION

Model	Pakiranje Packaging	Dimenzije pakiranja Packaging dimensions	Masa pakiranja Packaging weight	Komada na paleti QTY / pallet	Komada / šleper 13.6m QTY / truck 13.6m
Okvir ARF 2760 model G fi 32 3780 + kotač 3.5x8 Frame ARF 2760 model G fi 32 3780 + wheel 3.5x8	Na paleti On pallets	1200x1700x1800mm	570kg	80	1280 kom./okvir+kotač 1280 pcs / frame+wheel
					1120 kom./okvir+kotač+korito 1120 pcs / frame+wheel+tray
Korito HOFMANINGER Tray HOFMANINGER	Na paleti On pallets	680x840x850mm	823kg	200	





Građevinska kolica AL 100

Construction wheelbarrow AL 100

TEHNIČKI PODACI / TECHNICAL SPECIFICATION

Model	Pakiranje Packaging	Dimenzije pakiranja Packaging dimensions	Masa pakiranja Packaging weight	Komada na paleti QTY / pallet	Komada / šleper 13.6m QTY / truck 13.6m
Okvir ARF 2820 HYBRID fi 32 4180 + kotač 3.5x8 Frame ARF 2820 HYBRID fi 32 4180 + wheel 3.5x8	Na paleti On pallets	1200x1800x1800mm	560kg	80	1120 kom./okvir+kotač 1120 pcs / frame+wheel
Korito HOFMANINGER Tray HOFMANINGER	Na paleti On pallets	640x840x850mm	823kg	200	1080 kom./okvir+kotač+korito 1080 pcs / frame+wheel+tray



Građevinska kolica Africa 85

Construction wheelbarrow Africa 85



TEHNIČKI PODACI / TECHNICAL SPECIFICATION

Model	Pakiranje Packaging	Dimenzije pakiranja Packaging dimensions	Masa pakiranja Packaging weight	Komada na paleti QTY / pallet	Količina 20" kontejner Quantity 20" container	Količina 40" kontejner Quantity 40" container	Komada / šleper 13.6m QTY / truck 13.6m	Težina kolica Assembled wheelbarrow weight
Građevinska kolica Africa 85 - Kotač 3.5 x 8 Construction Wheelbarrow Africa 85 - Wheel 3.5 x 8	Na paleti / drvena kutija On pallet / Wood case	1160x2300x1050mm	780kg	50 kom.	500 kom.	1000 kom.	1200 kom.	12,6 kg
Građevinska kolica Africa 85 - Kotač Flexlite Construction Wheelbarrow Africa 85 - Wheel Flexlite	Na paleti / drvena kutija On pallet / Wood case	1160x2300x1050mm	740kg	50 kom.	500 kom.	1000 kom.	1200 kom.	11,8 kg

Transportna kolica / Transport trolley

Transportna kolica Junior

Transport trolley Junior



TEHNIČKI PODACI / TECHNICAL SPECIFICATION

Model	Šifra artikla Article code	Kom / paleta Pcs / pallet	Masa Weight	Dimenzije (ŠxDxV) Dimensions (WxLxH)
TK Junior TT Junior	101042	50	10,25kg	480x400x1080mm
Dimenzije pakiranja Packaging dimensions	Nosivost Capacity	Kom / šleper Pcs / truck	Okvir Frame	Kotač Wheel
1200x1200x2500mm	200kg	1100	Ø 25	Ø 200

Transportna kolica 200

Transport trolley 200



TEHNIČKI PODACI / TECHNICAL SPECIFICATION

Model	Šifra artikla Article code	Kom / paleta Pcs / pallet	Masa Weight	Dimenzije (ŠxDxV) Dimensions (WxLxH)
TK 200 TT 200	101001	45	8,50kg	500x480x1110mm
Dimenzije pakiranja Packaging dimensions	Nosivost Capacity	Kom / šleper Pcs / truck	Okvir Frame	Kotač Wheel
1150x1200x2400mm	200kg	990	Ø 25	3.0 x 4

Transportna kolica Profi

Transport trolley Profi



TEHNIČKI PODACI / TECHNICAL SPECIFICATION

Model	Šifra artikla Article code	Kom / paleta Pcs / pallet	Masa Weight	Dimenzije (ŠxDxV) Dimensions (WxLxH)
TK Profi TT Profi	101021	40	9,40kg	430x550x1080mm
Dimenzije pakiranja Packaging dimensions	Nosivost Capacity	Kom / šleper Pcs / truck	Okvir Frame	Kotač Wheel
1200x1200x2000mm	250kg	800	Ø 25	3.0 x 4

Transportna kolica s klapnom

Transport trolley with flap



TEHNIČKI PODACI / TECHNICAL SPECIFICATION

Model	Šifra artikla Article code	Kom / paleta Pcs / pallet	Masa Weight	Dimenzije (ŠxDxV) Dimensions (WxLxH)
TK s klapnom TT with flap	101052	4	11,3kg	430x550x1080mm
Dimenzije pakiranja Packaging dimensions	Nosivost Capacity	Kom / šleper Pcs / truck	Okvir Frame	Kotač Wheel
1300x1200x2400mm	250kg	800	Ø 25	3.0 x 4



Transportna kolica za bačve

Transport trolley for barrels




TEHNIČKI PODACI / TECHNICAL SPECIFICATION

Model	Šifra artikla Article code	Kom / paleta Pcs / pallet	Masa Weight	Dimenzije (ŠxDxV) Dimensions (WxLxH)
TK za bačve TT for barrels	101048	40	10,20kg	450x520x1100mm
Dimenzije pakiranja Packaging dimensions	Nosivost Capacity	Kom / šleper Pcs / truck	Okvir Frame	Kotač Wheel
1200x1200x2100mm	250kg	800	Ø 25	3.0 x 4

Transportna kolica 250

Transport trolley 250



TEHNIČKI PODACI / TECHNICAL SPECIFICATION

Model	Šifra artikla Article code	Kom / paleta Pcs / pallet	Masa Weight	Dimenzije (ŠxDxV) Dimensions (WxLxH)
TK 250 TT 250	101011	24	10,30kg	490x530x1390mm
Dimenzije pakiranja Packaging dimensions	Nosivost Capacity	Kom / šleper Pcs / truck	Okvir Frame	Kotač Wheel
1550x1200x2400m	250kg	480	Ø 25	3.0 x 4

Transportna kolica 250 Alu

Transport trolley 250 Alu



TEHNIČKI PODACI / TECHNICAL SPECIFICATION

Model	Šifra artikla Article code	Kom / paleta Pcs / pallet	Masa Weight	Dimenzije (ŠxDxV) Dimensions (WxLxH)
TK 250 Alu TT 250 Alu	101032	24	6,80kg	490x510x1315mm
Dimenzije pakiranja Packaging dimensions	Nosivost Capacity	Kom / šleper Pcs / truck	Okvir Frame	Kotač Wheel
1550x1200x2400mm	200kg	480	Ø 25	3.0 x 4

Transportna kolica 6 kotača

Transport trolley 6 wheels



TEHNIČKI PODACI / TECHNICAL SPECIFICATION

Model	Šifra artikla Article code	Kom / paleta Pcs / pallet	Masa Weight	Dimenzije (ŠxDxV) Dimensions (WxLxH)
TK - 6 kotača TT - 6 wheels	101013	24	14,90kg	490x530x1390mm
Dimenzije pakiranja Packaging dimensions	Nosivost Capacity	Kom / šleper Pcs / truck	Okvir Frame	Kotač / wheel
1550x1200x2400mm	250kg	480	Ø 25	Ø 160



LIMEX
CROATIA
WHEELBARROWS
MIXERS



POLAND
BETONIARKI
ZAGĘSZCZARKI
PRZECINARKI
TACZKI



Miješalica MK260B

Concrete Mixer MK260B



TEHNIČKI PODACI / TECHNICAL SPECIFICATION

Model	Ukupni kapacitet bubnja Overall drum capacity	Maks. kapacitet miješanja Batch capacity max	Snaga Power consumption	Broj okretaja bubnja u minuti Drum revolutions	Napon Voltage	Dimenzije / mm Dimensions / mm	Masa Weight
MK260B	260 L	max 200 L	1100W	25 o/min / rpm	230V	1600 x1000x1570	162kg

Miješalica MK300B

Concrete Mixer MK300B



TEHNIČKI PODACI / TECHNICAL SPECIFICATION

Model	Ukupni kapacitet bubnja Overall drum capacity	Maks. kapacitet miješanja Batch capacity max	Snaga Power consumption	Broj okretaja bubnja u minuti Drum revolutions	Napon Voltage	Dimenzije / mm Dimensions / mm	Masa Weight
MK300B	300 L	max 230 L	1500W	25 o/min / rpm	230V	1600x1000x1670	167kg



SAINT-DENIS
MATÉRIEL
POUR LE
BÂTIMENT



Miješalica BI 190F

Concrete Mixer BI 190F

TEHNIČKI PODACI / TECHNICAL SPECIFICATION

Model	Ukupni kapacitet bubnja Drum capacity	Maks. kapacitet miješanja Batch capacity max	Motor Engine		
BI 190F	170 L	max 150 L	* Električni motor / Monophase engine 230V/50hz/850W ** Benzinski motor / Petrol engine Kohler 4.9kW / 6.5ks/hp		
Dužina Length	Širina Width	Visina Height	Puni kotač Solid Wheel	Masa Weight	Razina buke Sound level
* 1,23m ** 1,41m	0,70m	1,44m	Ø 250mm	*75kg ** 98kg	105db



Miješalica AT 350

Concrete Mixer AT 350

TEHNIČKI PODACI / TECHNICAL SPECIFICATION

Model	Kapacitet bubnja Drum capacity	Maks. kapacitet miješanja Batch capacity max	Motor Engine		
AT 350	340 L	280 L	* Električni motor / Monophase engine 230V/50hz/1,5kW/2hp ** Benzinski motor / Petrol engine Honda GX1600Q 4Kw / 5,5ks/hp		
Dužina Length	Širina Width	Visina Height	Pneumatski kotač Pneumatic Wheel	Masa Weight	Razina buke Sound level
1,91m	0,95m	1,55m	Ø 500mm	305kg	* 94dB ** 105dB



Miješalica AT 480

Concrete Mixer AT 480

TEHNIČKI PODACI / TECHNICAL SPECIFICATION

Model	Kapacitet bubnja Drum capacity	Maks. kapacitet miješanja Batch capacity max	Masa Weight		
AT 480	460L	400L	* Električni motor / Monophase engine 230V/50hz / 1,5kW/2hp ** Benzinski motor / Petrol engine Honda GX1600Q 4kW / 5,5ks/hp		
Dužina Length	Širina Width	Visina Height	Pneumatski kotač Pneumatic Wheel	Težina Weigh	Razina buke Sound level
1,91m	1,05m	1,63m	Ø 500mm	350kg	* 94dB ** 105dB



Fasadne skele / Facade Scaffolding



Modularne skele / Modular Scaffolding





PLETTAC
ASSCO
GERÜSTE
SCAFFOLDING



Fasadne skele SL 70

Facade Scaffolding SL 70

Standardna oprema / Standard Equipment	Duljina skele / Radna visina - Scaffold Length / Working Height			Masa	123,00 x 8,20	63,00 x 8,20	36,00 x 8,20	18,00 x 8,20	12,00 x 8,20
	Pos	Code	Opis / Description		1009 m ²	517 m ²	295 m ²	148 m ²	98 m ²
	1	5FSL7103004	Lagani čelični okomiti okvir SL W74 Steel Vertical Frame SL W74 light	18,30	126	66	39	21	15
	2	5FSLN04000	Drvena podloga SL W32 4,8H x 300L Timber Deck SL W32 4,8 x 300L	21,70	246	126	72	36	24
	3	5FSNN060000	Vertikalni oslonac SL 366L Vertical Brace SL 366L	11,40	27	15	9	6	3
	4	5FSNN5003	Zaštitna ograda SL 300L Guard Rail SL 300L	5,2	173	89	51	26	17
	5	5F00202214	Dvostruka zaštitna ograda SL 74L Double End Guard Rail SL 74L	3,7	2	2	2	2	2
	6	5FSNN14000	Daska za SL podlogu 15H x 300L Toeboard for SL Decks 15H x 300L	5,9	82	42	24	12	8
	7	5FSL715000	Rub daske SL End Toeboard SL	1,4	2	2	2	2	2
	8	5FSL764000	Nosač čelične ograde SL Steel Guard Rail Support SL	5,2	40	20	11	5	3
	9	5FSL763500	Okvir čelične ograde SL 100H x 74W End Guard Rail Frame SL 100H x 74W	12,80	2	2	2	2	2
	10	5FS0659006	Stope skele 40H Base Plate 40H	2,60	84	44	26	14	10
	11	5FSNN61000	Dijagonalni nosač za pričvršćivanje SL Diagonal Fixing Bracket SL	0,4	18	10	6	4	2
Ukupna težina / Total Weight					9.806 kg	5.082 kg	2.949 kg	1.540 kg	1.043 kg

Spojnice / Ties	1	5FSLN25000	Razdjelna spojnica SL 80L Scaffold Tie with fork SL 80L	3,10	44	24	15	9	7
	2	5FKUP10010	Spojnik 48.3/48.3, HKS63, SW22 A/F Normal Coupler 48.3/48.3, HKS63, SW22 A/F	1,0	44	24	15	9	7
	3	5FDIV00107	Vijak s ušicom 12 x 120 mm Eyebolt 12 x 120 mm	0,2	44	24	15	9	7
	4	5FDIV00105	Tipla 14mm, L70 Expansion Anchor 14mm, L70	0,0	44	24	15	9	7
	5	5FDIV00104	Plastični čep za rupe Ø 14mm Plastic Cap for drilled holes Ø 14mm	0,0	44	24	15	9	7
	Ukupna težina / Total Weight				190 kg	104 kg	65 kg	39 kg	30 kg

Dodatna oprema / Supplementary Equipment	1	5FSNN05003	Zaštitna ograda SL dužine 300 cm Guard Rail SL for bay length 300 cm	5,2	82	42	24	12	8
	2	5F00202214	Dvostruka zaštitna ograda SL 74L Double End Guard Rail SL 74L	3,7	2	2	2	2	2
	3	5FSNN14000	Drvena zaštita SL 15H x 300L Toeboard for SL Decks 15H x 300L	5,9	41	21	12	6	4
	4	5FSL715000	Krajnja zaštitna daska SL End Toeboard SL	1,4	2	2	2	2	2
	Ukupna težina / Total Weight				679 kg	353 kg	206 kg	108 kg	75 kg

Kućna ljestva 120kg

Household step ladder 120kg

TEHNIČKI PODACI / TECHNICAL SPECIFICATION

Model	Broj gazišta Number of steps	Duljina ljestava Ladder Length	Visina gornjeg gazišta Height of the top step	Radna visina Working height	Masa Weight
D05D/02	2	1085mm	420mm	2420mm	2,30kg
D05D/03	3	1250mm	560mm	2560mm	2,69kg
D05D/04	4	1480mm	780mm	2780mm	3,16kg
D05D/05	5	1720mm	1000mm	3000mm	3,65kg
D05D/06	6	1955mm	1230mm	3232mm	4,30kg
D05D/07	7	2190mm	1450mm	3450mm	5,23kg
D05D/08	8	2390mm	1665mm	3650mm	5,50kg



Dupla kućna ljestva

Double domestic ladder

TEHNIČKI PODACI / TECHNICAL SPECIFICATION

Model	Broj gazišta Number of steps	Visina raširenih ljestava Height of outspread ladder	Visina zatvorenih ljestava Height of closed ladder	Radna visina Working height	Masa Weight
C04CNP/02	2x2	420mm	485mm	2420mm	1,90kg
C04CNP/03	2x3	650mm	720mm	2650mm	2,63kg
C04CNP/04	2x4	865mm	945mm	2865mm	3,45kg
C04CNP/05	2x5	1080mm	1170mm	3080mm	4,55kg
C04CNP/06	2x6	1300mm	1405mm	3300mm	5,25kg
C04CNP/07	2x7	1520mm	1635mm	3520mm	6,14kg





Kućna ljestva 150kg

Household step ladder 150kg

TEHNIČKI PODACI / TECHNICAL SPECIFICATION

Model	Broj gazišta Number of steps	Širina Width	Visina zatvorenih ljestava Height of closed ladder	Visina gornjeg gazišta Height of the top step	Radna visina Working height	Masa Weight
CXT06/03	2+1	418mm	1250mm	560mm	2360mm	3,00kg
CXT06/04	3+1	445mm	1480mm	780mm	2580mm	3,60kg
CXT06/05	4+1	470mm	1720mm	1000mm	2800mm	4,20kg
CXT06/06	5+1	490mm	1955mm	1230mm	3030mm	5,00kg
CXT06/07	6+1	520mm	2190mm	1450mm	3250mm	6,70kg
CXT06/08	7+1	545mm	2420mm	1655mm	3465mm	7,15kg



Ravna ljestva

Straight ladder

TEHNIČKI PODACI / TECHNICAL SPECIFICATION

Model	Broj gazišta Number of steps	Širina Width	Visina Height	Radna visina Working height	Masa Weight
B02B/200	1x7	362mm	1995mm	2896mm	2,70kg
B02B/230	1x8	362mm	2275mm	3175mm	3,30kg
B02B/250	1x9	362mm	2547mm	3447mm	3,50kg
B02B/280	1x10	362mm	2835mm	3735mm	4,00kg
B02B/330	1x12	770mm	3387mm	4287mm	5,35kg
B02B/380	1x14	770mm	3947mm	4847mm	6,25kg
B02B/430	1x16	900mm	4507mm	5407mm	7,30kg
B02B/480	1x18	900mm	5067mm	5967mm	8,65kg



Istezajuće dvodijelne ljestve

Extension ladder two sections

TEHNIČKI PODACI / TECHNICAL SPECIFICATION

Model	Broj gazišta Number of steps	Širina Width	Duljina zatvorenih ljestava Length of closed ladder	Duljina produženih ljestava Length of extended ladder	Visina produženih ljestava Height of ladder extended	Radna visina Working height	Masa Weight
B14B2/200	2x7	764mm	1987mm	3107mm	2922mm	3822mm	8,00kg
B14B2/230	2x8	764mm	2267mm	3387mm	3185mm	4085mm	9,00kg
B14B2/250	2x9	764mm	2547mm	3947mm	3710mm	4610mm	10,00kg
B14B2/280	2x10	894mm	2827mm	4507mm	4237mm	5137mm	11,00kg
B14B2/300	2x11	894mm	3107mm	5067mm	4763mm	5663mm	14,40kg
B14B2/330	2x12	984mm	3387mm	5627mm	5288mm	6188mm	15,30kg



Kombinirane dvodijelne ljestve

Combination ladder in two sections

TEHNIČKI PODACI / TECHNICAL SPECIFICATION

Model	Broj gazišta Number of steps	Širina Width	Duljina zatvorenih ljestava Length of closed ladder	Duljina produženih ljestava Length of extended ladder	Visina raširenih ljestava Height of outspread ladder	Visina produženih ljestava Height of extended ladder	Radna visina Working height	Masa Weight
B10B2/170	2x6	764mm	1707mm	2255mm	1615mm	2117mm	3017mm	5,90kg
B10B2/200	2x7	764mm	1987mm	3107mm	1905mm	2922mm	3822mm	6,70kg
B10B2/230	2x8	764mm	2267mm	3387mm	2165mm	3185mm	4085mm	7,80kg
B10B2/250	2x9	764mm	2547mm	3947mm	2420mm	3710mm	4610mm	8,10kg
B10B2/280	2x10	894mm	2827mm	4507mm	2710mm	4237mm	5137mm	9,00kg
B10B2/300	2x11	894mm	3107mm	5067mm	2980mm	4763mm	5663mm	11,60kg
B10B2/330	2x12	984mm	3387mm	5627mm	3230mm	5288mm	6188mm	12,20kg
B10B2/350	2x13	984mm	3667mm	6187mm	3470mm	5814mm	6714mm	13,30kg





Kombinirane trodijelne ljestve

Combination ladder in three sections

TEHNIČKI PODACI / TECHNICAL SPECIFICATION

Model	Broj gazišta Number of steps	Širina Width	Duljina zatvorenih ljestava Length of closed ladder	Duljina produženih ljestava Length of extended ladder	Visina raširenih ljestava Height of outspread ladder	Radna visina produženih ljestava Working height of extended ladder	Radna visina raširenih ljestava Working height of outspread ladder	Masa Weight
B10B3/170	3x6	700mm	1730mm	3650mm	2440mm	4320mm	3340mm	9,00kg
B10B3/200	3x7	770mm	1995mm	4240mm	2945mm	5140mm	3845mm	10,30kg
B10B3/230	3x8	900mm	2275mm	4520mm	3225mm	5420mm	4125mm	11,50kg
B10B3/250	3x9	900mm	2555mm	5360mm	3730mm	6260mm	4630mm	13,50kg
B10B3/280	3x10	900mm	2835mm	6210mm	4300mm	7110mm	5200mm	15,80kg
B10B3/300	3x1	990mm	3115mm	6754mm	4620mm	7654mm	5520mm	18,30kg



Zglobna ljestva

Multipurpose hinged ladders

TEHNIČKI PODACI / TECHNICAL SPECIFICATION

Model	Visina zatvorenih ljestava Height of closed ladder	Visina horizontalnih ljestava Height of horizontal ladder	Visina raširenih ljestava Height of outspread ladder	Širina Width	Masa Weight
B05ZG/4x3	980mm	970mm	1725mm	356/334	11,85kg



Mini skela 2x6

Mini scaffolding

TEHNIČKI PODACI / TECHNICAL SPECIFICATION

Model	Širina skele Width scaffoldin	Širina Wisth	Visina produženih ljestava Height of extended ladder	Radna visina Working height	Masa Weight
B10P26/170	1590mm	700mm	2800mm	3000mm	16,80kg





LIMEX
CROATIA
WHEELBARROWS
MIXERS



Emajlirane cijevi

Flue pipes



TEHNIČKI PODACI / TECHNICAL SPECIFICATION

Dimenzije / Visina Dimensions / Height	Promjer Ø Width Ø
1000 mm / 500 mm / 250 mm	110 mm / 120 mm / 130 mm / 145 mm / 150 mm

Radijatori

Radiators



Kaminske cijevi

Fluepipes for fireplace



Oprema za kamine

Accessories

